

Productive and compact

LEDINEK - FINGER JOINTING - EUROZINK COMPACT 1000

Eurozink Compact 1000

Best finger jointing solution for small and medium sized productions with excellent availability factors. A highly productive machine for laminations.

This very versatile finger jointing machine boasts a range of innovations. It has reinvented the sector of compact finger jointing machines and still remains its most technologically advanced representative. Strong side alignment, exact positionable feed and hydraulic milling stroke will provide advantages that no other machine can.

Setting of this fully PLC controlled finger jointing machine can be executed in the shortest time, supporting highly adaptable, customer oriented production.

Highlights:

- Fast change of dimension
- Small footprint
- Fully automated machine setup
- High pressing power
- Highest productivity
- Various glue application systems
- Fixed guiding fence
- Strong side pressure
- All machining steps without reclamping
- Positionable cross-cut saw

Benefits of fixed guiding fence

- One side always aligned
- No positioning for width
- All the excess width is planed off on one side
- Easy setting of finger joint cutters and glue applicator
- Less required cutoff on the planer

Technical data

EUROZINK COMPACT 1000

	Width	75 - 320 mm
	Thickness	20 - 120 mm
	Cycles	8 1/min
	Typical capacity	1.000 m/h
	Feeding speed	28 m/min
	Diameter of finger cutters	200 mm

Machine Models

- Eurozink COMPACT 1000

EXTRACTION

FINGER
JOINTING


Photo gallery



Video

 [Ledinek Eurozink Compact product brochure](#)

Related products



▶ CLT production line Latvia

Complete solution for production of cross laminated timber


[MORE](#)



▶ Eurozink Compact 800

Strong and productive machine for finger jointing of solid constructional timber

[MORE](#)



▶ Eurozink 1500

Single piece finger jointing system with high power cycle press for production of solid constructional timber

[MORE](#)