

LEDINEK - ENGINEERED TIMBER - XT-PRESS

XT-Press

Through-feed High-performance large size CLT panels press for edge glued panels with fast changeover. Through feed system with plastic chain belt.

The XT-PRESS is a high-performance CLT press for the production of standard cross-laminated timber panels. The transport system uses a special chain that allows for simultaneous emptying and filling of the press.

This optimizes cycle times. Side pressure is pneumatic. Front pressure is pneumatically controlled by a pivoting unit. The XT produces according to the requirements of EN 16351.

The XT press has a modular design and can be manufactured in 2.1 m increments (6 m - 20 m).

The XT-Press guarantees the highest precision, performance, and product quality. Prefabricated timber walls, ceiling elements, and complete houses—everything is possible.





Highlights:

- Pneumatic pressure buildup
- High capacity
- Strong top pressure up to 0,8 N/mm² up to 1,2 N/mm²l
- Independent side pressure for virtually any length
- Thickness independent front pressure
- Precise glue application
- Moveable transport carriage
- Automatic sequence control

Benefits of pneumatic pressure buildup:

- High force through flat tubes
- No hydraulic cylinders and valves
- Low and steady consumption of energy
- No oil no leakage
- No heat
- Environmentally friendly
- No high frequency radiation
- Low maintenance

Technische Daten

XT-PRESS	
Pressing thickness	60 - 360 mm
Pressing width	2.400 - 3.500 mm
Pressing lenght	6-18 m

Ledinek Engineering d.o.o., Slivniška cesta 18, SI-2311 Hoče, Slovenia



Fotogalerie

Video

Video

Related products



X-Press

Universal High-performance press for large size CLT for single Lamelas assembly and edge glued panels. Suitable also for double or multi press systems using interchangeable aluminium PE coated loading tables.



XE-Press

Compact standard large size press for CLT lines for single lamellas and edge glued panels. Using single steel loading table.

MORE




XM-Press

Midsize High-performance press (W=2m) press for edge glued panels. Through feed system with plastic chain belt.

MORE



MORE



XS-Press

For small size CLT panels (W=1,3m) press for edge glued panels or single lamellas. Through feed system with plastic

MORE

chain belt.



Z-Press

Edge gluing press with hot-melt for fast assembly bonding of solid wood laminations. Multiple widths or continuous single-layer panels are produced from edge glued laminations. Suitable for the advanced and high capacity CLT production.

MORE