




Fast and productive


LEDINEK - FINGER JOINTING - EUROZINK 1500

Eurozink 1500

Fast and productive

Single piece finger jointing system with high power cycle press for production of solid construction timber and glulam laminations.

This machine is perfectly suited for production lines designed for high output volume of timber with large cross sections. All components of the machine are well-designed and robust, comprising a strong backbone for this excellent machine and ensuring a long life cycle even at high strains presented by enormous loads of heavy timber.



Highlights:

- Single piece milling system
- Individual clamping – very exact joint
- Suitable for unplanned sawn timber
- Random lengths up to 6 m
- Big workpiece cross section
- Strong hydraulic press
- Contactless computer controlled glue application
- Maximal productivity

Benefits of the single piece finger milling system:

- Excellent alignment of finger joints
- Every workpiece is independently aligned against reference surface
- No addition of thickness deformations in the package
- Uniform application of glue on every workpiece
- Insensitive to the variable lengths of the workpieces

Technical data

EUROZINK 1500

	Width	85 - 300 mm
	Thickness	20 - 110 mm
	Cycles	12 1/min
	Typical capacity	1.500 m/h
	Feeding speed	40 m/min
	Diameter of finger cutters	260 mm


Machine Models

- Eurozink 1500

EXTRACTION

FINGER
JOINTING

Photo gallery



Video


Related products



▶ Eurozink Compact 800

Strong and productive machine for finger jointing of solid constructional timber


[MORE](#)



▶ Kontizink 2000

Single piece milling and hydraulic pressing system for solid constructional timber

[MORE](#)



▶ Constructional timber line - 12 joints

Finger jointing production line for solid constructional timber with capacity of 12 joints per minute

[MORE](#)