

Horizontal and productive

LEDINEK - FINGER JOINTING - EUROZINK H 1500

Eurozink H 1500

Horizontal and productive

Single piece finger jointing system with high power cycle press for production of planks for log houses

This machine is perfectly suited for production lines designed for high output volume of timber with large cross sections. All components of the machine are well designed and robust, comprising a strong backbone for this excellent machine and ensuring a long life cycle even at high strains presented by enormous loads of heavy timber.



Highlights:

- Horizontal joints
- Single piece milling system
- Individual clamping – very exact joint
- Suitable for sawn timber
- Random lengths up to 6 m
- Big workpiece cross section
- Strong hydraulic press
- Contactless computer controlled glue application
- Maximal productivity

Technical data

EUROZINK H 1500

	Width	85 - 300 mm
	Thickness	20 - 110 mm
	Cycles	12 1/min
	Typical capacity	1.500 m/h
	Feeding speed	36 m/min
	Diameter of finger cutters	260 mm

Machine Models

- Eurozink H 1500


EXTRACTION

FINGER
JOINTING

Photo gallery



Related products



▶ Eurozink Compact H 800

A compact machine for large cross sections, especially suitable for production of elements for log houses

[MORE](#)

▶ Kontizink H15

Efficient finger jointing lines for production of horizontal joints

[MORE](#)

▶ Engineered Timber

The construction of wooden buildings is booming not only in Switzerland, but also in France and around the world. The demand for CLT large format panels has increased accordingly. In order to satisfy this demand in France and in the international export

[MORE](#)