


## XE-Press

**Compact standard large size press for CLT lines for single lamellas and edge glued panels.  
Using single steel loading table.**

The XE-PRESS is a CLT press for production cross laminated timber panels in standard sizes. It addresses the needs of small and medium sizes business and can be adopted for manual or automatic loading. It is designed to be the central piece of equipment in compact smart production lines. The XE-Press is designed modular and can be produced in 2,35 m steps (7m – 21m).

The XE-PRESS is a guarantee for accuracy, high performance and top-quality products. Prefabricated wooden walls, ceilings, roofs, whole houses, everything is possible. Make a step in the future, rediscover the wood construction.

LEDINEK - ENGINEERED TIMBER - XE-PRESS



### Highlights:

- Pneumatic pressure buildup
- High capacity
- Strong top pressure at least 0,6 N/mm<sup>2</sup> and up
- Independent side pressure for virtually any length
- Thickness independent front pressure
- Precise glue application
- Moveable transport carriage
- Automatic sequence control possible

### Benefits of pneumatic pressure buildup:

- High force through flat tubes
- No hydraulic cylinders and valves
- Low and steady consumption of energy
- No oil - no leakage
- No heat
- Environmentally friendly
- No high frequency radiation
- Low maintenance

## Technical data

### XE-PRESS 7 / 21



Pressing thickness

60 - 360 mm



Pressing width

2.450 - 3.550 mm




Pressing length

7 - 21 m

## Photo gallery






## Video

 [X-PRESS product brochure](#)

## Related products



## ▶ X-Press

Universal High-performance press for large size CLT for single Lamelas assembly and edge glued panels. Suitable also for double or multi press systems using interchangeable aluminium PE coated loading tables.


[MORE](#)



## ▶ XM-Press

Midsized High-performance press (W=2m) press for edge glued panels. Through feed system with plastic chain belt.

[MORE](#)



## ▶ XS-Press

For small size CLT panels (W=1,3m) press for edge glued panels or single lamellas. Through feed system with plastic chain belt.


[MORE](#)



## ▶ XT-Press

Through-feed High-performance large size CLT panels press for edge glued panels with fast changeover. Through feed system with plastic chain belt.

[MORE](#)



## ▶ Z-Press

Edge gluing press with hot-melt for fast assembly bonding of solid wood laminations. Multiple widths or continuous single-layer panels are produced from edge glued laminations. Suitable for the advanced and high capacity CLT production.

[MORE](#)